

MILLARD COUNTY CARE CENTER
150 SOUTH WHITE SAGE AVENUE
DELTA UT 84624
STATE'S REGION CODE: 001

PROVIDER #: 465157
PHONE NUMBER: (435) 864-2944
PARTICIPATION DATE: 05/20/2004 CERTIFIED: 60

TYPE ACTION: RECERTIFICATION
TOTAL: 60
TYPE OWNERSHIP: GOVERNMENT - COUNTY

COMPLIANCE STATUS: FACILITY MEETS REQUIREMENTS BASED ON AN ACCEPTABLE PLAN OF CORRECTION

RESIDENT CENSUS ON 04/07/2005	LTC ADMISSION/SUSPENSION DATES	TOTAL CERTIFIED BEDS: 60			
-----	-----	-----			
TOTAL: 38	ADMISSION SUSPENDED:	18	18/19	19	ICF/MR
MEDICARE: 1	SUSPENSION RESCINDED:	--	----	--	-----
MEDICAID: 28			60		
OTHER: 9					

CURRENT SURVEY REVISIT DATES - 06/08/2005

PRIOR 3 SURVEY	S/S CODE	PRIOR 2 SURVEY	S/S CODE	PRIOR 1 SURVEY	S/S CODE	CURRENT SURVEY	S/S CODE	PLAN/DATE OF CORRECT	PROGRAM REQUIREMENTS
				03/2004		04/07/2005			
						X C	D	05/31/2005	REQ F0221-RIGHT TO BE FREE FROM PHYSICAL RESTRAINTS NOT REQ
						X	E		REQ F0241-DIGNITY
						X	D		REQ F0279-DEVELOP COMPREHENSIVE CARE PLANS
						X	D		REQ F0309-PROVIDE NECESS CARE FOR HIGHEST PRAC WELL BEING

EDITION OF LSC APPLIED

PRIOR 3 SURVEY	PRIOR 2 SURVEY	PRIOR 1 SURVEY	2000 NEW SURVEY	2000 NEW SURVEY	CURRENT SURVEY	PLAN/DATE OF CORRECTION	LSC DEFICIENCIES - BLDG NO. 01
			03/2004		04/07/2005		
					X C	06/01/2005	K0011-COMMON WALL
					X C	06/01/2005	K0029-HAZARDOUS AREAS - SEPARATION
					X C	06/01/2005	K0046-EMERGENCY LIGHTING
					X C	06/01/2005	K0050-FIRE DRILLS
					X C	06/01/2005	K0052-TESTING OF FIRE ALARM
		X			X F	06/01/2005	K0056-AUTOMATIC SPRINKLER SYSTEM
					X C	06/01/2005	K0075-WASTEBASKETS
					X C	06/01/2005	K0076-MEDICAL GAS SYSTEM

C=DATE OF CORRECTION N=NO DATE GIVEN P=PLAN OF CORRECTION R=REFUSED TO CORRECT W=WAIVED F=FSSES X=DEFICIENT
COP = CONDITION REQ = REQUIREMENT

TYPE OF DEFICIENCY	CURRENT SURVEY	PRIOR 1 SURVEY	PRIOR 2 SURVEY	PRIOR 3 SURVEY
-----	-----	-----	-----	-----
CONDITION	0	0	0	0
REQUIREMENT	1	3	0	0
HEALTH TOTAL	1	3	0	0
LIFE SAFETY CODE	8	1	0	0
LIFE SAFETY CODE + HEALTH	9	4	0	0

COMPLAINT SURVEY INFORMATION

SURVEY DATE	STATUS
-----	-----
12/02/2004	UNSUBSTANTIATED

FMS SURVEY INFORMATION

* NO FMS SURVEYS FOR THIS FACILITY